

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 17 1982
 Returned to applicant for correction OCT 25 1982
 Corrected application filed DEC 27 1982
 Map filed DEC 22 1982

The applicant James H. Bilbray

428 South Fourth Street, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89101, hereby makes application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground aquifer, lower Colorado River Valley
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.5 (62.5 AF/yr) second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet

3. The water to be used for Quasi-Municipal & Domestic Use
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:

(b) Stockwater, state number and kinds of animals to be watered:

(c) Other use (describe fully under "No. 12. Remarks")

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point: in Gov't Lot 3 Sec 13 T32S R66E
Describe as being within a 40-acre subdivision of public

MDM from which the SW corner of Section 13, T32S R66 E, MDM bears S 46°00'00" W
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

2830.00 feet.

6. Place of use Part of Government Lot 3 and part of Government Lot 4, all in Section
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

13 T32S R66E, MDM.

7. Use will begin about Jan 1 and end about Dec 31, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Deep well (300') (8" dia) to pressure tank
State manner in which water is to be diverted, i.e. diversion structure, ditches and

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$25,000

10. Estimated time required to construct works 1 year
If well completed, describe works.
11. Estimated time required to complete the application of water to beneficial use 5 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
- 17 A Casino/Hotel Complex 50,000 gpd

Compared ds/sb bl/bc

s/ Robert J. McNutt
 By Robert J. McNutt Water Rights
 P.O. Box 539 Surveyor #418
 Las Vegas, Nevada 89125

Protested

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ^{deny}~~grant~~ the same, subject to the following limitations and conditions:

This application is herewith denied on the grounds that the granting thereof would conflict with existing rights and would be detrimental to the public interest and welfare.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed _____ cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before _____

Proof of completion of work shall be filed before _____

Application of water to beneficial use shall be made on or before _____

Proof of the application of water to beneficial use shall be filed on or before _____

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed _____ IN TESTIMONY WHEREOF, I PETER G. MORROS,
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed _____ my office, this 27th day of May,

Cultural map filed _____ A.D. 19 86

Certificate No. _____ Issued _____